Weddington 720136

=> fil reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 175.25 1051.58

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE

-3.53 -11.18

FILE 'REGISTRY' ENTERED AT 15:51:11 ON 26 NOV 2001 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2001 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 25 NOV 2001 HIGHEST RN 371755-13-4 DICTIONARY FILE UPDATES: 25 NOV 2001 HIGHEST RN 371755-13-4

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> e high kauric acid oil/cn 5

E1	1	HIGH GOLD MG 35/CN
E2	1	HIGH IRON DIAMINE/CN
E3	0>	HIGH KAURIC ACID OIL/CN
E4	1	HIGH LIGHT INDUCIBLE PROTEIN (GUILLARDIA THETA GENE HLIP)/CN
E5	1	HIGH MOBILITY GROUP PROTEIN HMG-I/Y (BRASSICA NAPUS GENE HMG-I/Y)/CN

=> e high lauric acid oil/cn 5

E1 1 HIGH GOLD MG 35/CN

E2	1	HIGH IRON DIAMINE/CN
E3	0>	HIGH LAURIC ACID OIL/CN
E4	1	HIGH LIGHT INDUCIBLE PROTEIN (GUILLARDIA THETA GENE HLIP)/CN
E5	1	HIGH MOBILITY GROUP PROTEIN HMG-I/Y (BRASSICA NAPUS GENE HMG
		-I/Y)/CN

COCONUT OIL ACID MONOETHANOLAMINE SALTS/CN

=>	e lauric a	cid oil/cn 5
E1		1 LAURIC ACID NITRILE/CN
E2		1 LAURIC ACID OCTADECYL THIOESTER/CN
Е3		0> LAURIC ACID OIL/CN
E4		1 LAURIC ACID PENTAETHYLENE GLYCOL ESTER/CN
E5		1 LAURIC ACID POLYETHYLENE GLYCOL ESTER/CN
=>	e coconut	oil/cn 5
E1		1 COCONUT DIETHANOLAMIDE/CN
E2		1 COCONUT FATTY ACIDS/CN
E3		1> COCONUT OIL/CN

E5 1 COCONUT OIL ACID-AMMONIUM CONDENSATE/CN

1

F.4

```
ANSWER 1 OF 1 REGISTRY COPYRIGHT 2001 ACS
T.1
    8001-31-8 REGISTRY *
RN
* Use of this CAS Registry Number alone as a search term in other STN files may
  result in incomplete search results. For additional information, enter HELP
  RN* at an online arrow prompt (=>).
     Coconut oil (CA INDEX NAME)
OTHER NAMES:
    Cocos nucifera oil
CN
     Copra oil
CN
CN
     Fats and Glyceridic oils, coconut
     Fats and Glyceridic oils, copra
CN
     Hydrol 110
CN
CN
    Koline
    Koline 76
CN
    Oils, coconut
CN
CN
    Oils, copra
     Oils, glyceridic, coconut
CN
CN
     Oils, glyceridic, copra
CN
     Victory 76
DEF
    Extractives and their physically modified derivatives. It consists
     primarily of the glycerides of the fatty acids capric, lauric, myristic,
     oleic and palmitic. (Cocos nucifera).
     8038-07-1, 8038-08-2, 84961-48-8
DR
MF
     Unspecified
CI
     COM, MAN, CTS
LC
     STN Files:
                  ADISNEWS, AGRICOLA, ANABSTR, BIOSIS, BIOTECHNO, CANCERLIT,
       CBNB, CHEMCATS, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DETHERM*, DIOGENES,
       DRUGU, EMBASE, HSDB*, IPA, MEDLINE, MSDS-OHS, PDLCOM*, PROMT, RTECS*,
       TOXCENTER, USPATFULL, VETU
         (*File contains numerically searchable property data)
                      DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
=> e palm kernel oil/cn 5
E1
             1
                   PALM BUTTER/CN
E2
             1
                   PALM KERNEL ACIDS, SODIUM SALT/CN
E3
             1 --> PALM KERNEL OIL/CN
F.4
                   PALM KERNEL OIL FATTY ACID SODIUM SALT/CN
E.5
                   PALM KERNEL OIL, ETHOXYLATED/CN
             1
=> s e3;d ide can
             1 "PALM KERNEL OIL"/CN
L2
    ANSWER 1 OF 1 REGISTRY COPYRIGHT 2001 ACS
    8023-79-8 REGISTRY *
* Use of this CAS Registry Number alone as a search term in other STN files may
  result in incomplete search results. For additional information, enter HELP
  RN* at an online arrow prompt (=>).
    Palm kernel oil (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN
    Oils, glyceridic, palm kernel
     Oils, palm kernel
CN
OTHER NAMES:
     Fats and Glyceridic oils, palm kernel
```

```
CN
     Palm seed oil
DEF Extractives and their physically modified derivatives. It consists
     primarily of the glycerides of the fatty acids linoleic acid and oleic
     acid. (Elaeis quineensis, Palmae).
     Unspecified
MF
CI
     COM, MAN, CTS
     STN Files:
                   AGRICOLA, BIOSIS, CHEMLIST, CIN, CSCHEM, DETHERM*, HSDB*,
LC
       USPATFULL
          (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**
          (**Enter CHEMLIST File for up-to-date regulatory information)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
=> e lauric acid rapeseed oil/cn 5
E1
              1
                     LAURIC ACID POLYETHYLENE GLYCOL ESTER/CN
E2
              1
                    LAURIC ACID POLYGLYCERIDE/CN
E3
              0 --> LAURIC ACID RAPESEED OIL/CN
E4
              1
                    LAURIC ACID SACCHAROSE ESTER/CN
E5
                    LAURIC ACID SORBITAN ESTER/CN
=> e rapeseed oil/cn 5
E1
              1
                     RAPESEED MEAL CAKE/CN
E2
              1
                     RAPESEED MEAL, TOWER/CN
E3
              1 --> RAPESEED OIL/CN
E4
              1
                    RAPESEED OIL FATTY ACID CALCIUM SALTS/CN
E5
              1
                    RAPESEED OIL FATTY ACID SODIUM SALTS/CN
=> e
                    RAPESEED OIL, ERUCIC ACID-HIGH/CN
Ε6
              1
E7
              1
                    RAPESEED OIL, HYDROGENATED/CN
E8
              1
                    RAPESEED OIL, INTERESTERIFIED/CN
E9
              1
                    RAPESEED OIL, SULFATED/CN
                    RAPESEED OIL, VULCANIZED/CN
E10
              1
E11
              1
                    RAPESEED-OIL FATTY ACIDS/CN
E12
              1
                    RAPG 3700/CN
E13
              1
                    RAPHAEL/CN
E14
              1
                    RAPHANATIN/CN
E15
              1
                    RAPHANIN/CN
E16
              1
                    RAPHANUS NIGER, EXT./CN
E17
                    RAPHANUS RAPHANISTRUM, EXT./CN
=> s e3-e11
              1 "RAPESEED OIL"/CN
              1 "RAPESEED OIL FATTY ACID CALCIUM SALTS"/CN
              1 "RAPESEED OIL FATTY ACID SODIUM SALTS"/CN
              1 "RAPESEED OIL, ERUCIC ACID-HIGH"/CN
1 "RAPESEED OIL, HYDROGENATED"/CN
1 "RAPESEED OIL, INTERESTERIFIED"/CN
1 "RAPESEED OIL, SULFATED"/CN
1 "RAPESEED OIL, VULCANIZED"/CN
              1 "RAPESEED-OIL FATTY ACIDS"/CN
L3
              9 ("RAPESEED OIL"/CN OR "RAPESEED OIL FATTY ACID CALCIUM SALTS"/CN
                 OR "RAPESEED OIL FATTY ACID SODIUM SALTS"/CN OR "RAPESEED OIL,
                ERUCIC ACID-HIGH"/CN OR "RAPESEED OIL, HYDROGENATED"/CN OR "RAPE
                SEED OIL, INTERESTERIFIED"/CN OR "RAPESEED OIL, SULFATED"/CN OR
                "RAPESEED OIL, VULCANIZED"/CN OR "RAPESEED-OIL FATTY ACIDS"/CN)
=> e lauric acid/cn 5
E1
              1
                    LAURIBIC/CN
E2
              1
                    LAURIBIC II/CN
```

```
E3
             1 --> LAURIC ACID/CN
                   LAURIC ACID .ALPHA.-METHOXY-4,6-DINITRO-O-TOLYL ESTER/CN
E4
             1
                   LAURIC ACID .ALPHA.-MONOGLYCERIDE/CN
E5
             1
=> e
             1
                   LAURIC ACID .BETA.-MONOGLYCERIDE/CN
Ε6
                   LAURIC ACID .OMEGA.-1-HYDROXYLASE/CN
F.7
             1
                   LAURIC ACID .OMEGA.-2 HYDROXYLASE/CN
             1
E8
                   LAURIC ACID .OMEGA.-3 HYDROXYLASE/CN
E9
             1
                   LAURIC ACID .OMEGA.-4 HYDROXYLASE/CN
E10
             1
             1
                   LAURIC ACID .OMEGA.-5 HYDROXYLASE/CN
E11
                   LAURIC ACID .OMEGA.-6 HYDROXYLASE/CN
E12
             1
             1
                   LAURIC ACID .OMEGA.-HYDROXYLASE/CN
E13
             1
                   LAURIC ACID .OMEGA.-HYDROXYLASE (RAT KIDNEY ISOENZYME 4A2)/C
E14
E15
             1
                   LAURIC ACID .OMEGA.-HYDROXYLASE (RAT KIDNEY ISOENZYME 4A3)/C
                   LAURIC ACID .OMEGA.-HYDROXYLASE (VICIA SATIVA GENE VAGH111)/
E16
             1
E17
             1
                   LAURIC ACID 1-(2-NAPHTHYL)ETHYL ESTER/CN
=> e lauric acid oil/cn 5
E1
             1
                   LAURIC ACID NITRILE/CN
                   LAURIC ACID OCTADECYL THIOESTER/CN
             1
E.2
E3
             0 --> LAURIC ACID OIL/CN
E4
             1
                   LAURIC ACID PENTAETHYLENE GLYCOL ESTER/CN
                   LAURIC ACID POLYETHYLENE GLYCOL ESTER/CN
E5
=> s lauric acid ?/cn
            76 LAURIC ACID ?/CN
=> fil caplus; e animal feed/ct 5
                                                  SINCE FILE
COST IN U.S. DOLLARS
                                                                  TOTAL
                                                       ENTRY
                                                                SESSION
                                                       49.84
FULL ESTIMATED COST
                                                                1101.42
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
                                                  SINCE FILE
                                                                  TOTAL
                                                       ENTRY
                                                                SESSION
CA SUBSCRIBER PRICE
                                                        0.00
                                                                 -11.18
```

FILE 'CAPLUS' ENTERED AT 15:53:27 ON 26 NOV 2001 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1947 - 26 Nov 2001 VOL 135 ISS 23 FILE LAST UPDATED: 25 Nov 2001 (20011125/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REG1stRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

CAplus now provides online access to patents and literature covered

in CA from 1947 to the present. On April 22, 2001, bibliographic information and abstracts were added for over 2.2 million references published in CA from 1947 to 1966.

The CA Lexicon is now available in the Controlled Term (/CT) field. Enter HELP LEXICON for full details.

Attention, the CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

E#	FREQUENCY	AT	TERM			
						
E1	0	2	ANIMAL FATS (L) WHALE OIL, SULFONATED, POTASSIUM SALTS /CT			
E2	0	2	ANIMAL FATS (L) WHALE OIL, SULFONATED, SODIUM SALTS/CT			
E3	0	2	> ANIMAL FEED/CT			
E4	0	2	ANIMAL FEED ANAL./CT			
E5	0	2	ANIMAL FEEDING/CT			
	e e3+all/ct	> _ 7\	nimal food/CT			
E1	0		nimal feed/CT			
E2	16506	USE	Feed/CT			
****** END***						

=> fil medl,biosis,caba,agricola,caplus,embase,jicst,wpids;s (animal feed or feed?) and (11 or 12 or 13 or high lauric acid (w)(oil or rapeseed oil) or coconut oil or palm kernel oil)

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION 0.65 1102.07 FULL ESTIMATED COST SINCE FILE DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) TOTAL ENTRY SESSION CA SUBSCRIBER PRICE 0.00 -11.18

FILE 'MEDLINE' ENTERED AT 15:54:46 ON 26 NOV 2001

FILE 'BIOSIS' ENTERED AT 15:54:46 ON 26 NOV 2001 COPYRIGHT (C) 2001 BIOSIS(R)

FILE 'CABA' ENTERED AT 15:54:46 ON 26 NOV 2001 COPYRIGHT (C) 2001 CAB INTERNATIONAL (CABI)

FILE 'AGRICOLA' ENTERED AT 15:54:46 ON 26 NOV 2001

FILE 'CAPLUS' ENTERED AT 15:54:46 ON 26 NOV 2001 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 15:54:46 ON 26 NOV 2001 COPYRIGHT (C) 2001 Elsevier Science B.V. All rights reserved.

FILE 'JICST-EPLUS' ENTERED AT 15:54:46 ON 26 NOV 2001 COPYRIGHT (C) 2001 Japan Science and Technology Corporation (JST)

FILE 'WPIDS' ENTERED AT 15:54:46 ON 26 NOV 2001 COPYRIGHT (C) 2001 DERWENT INFORMATION LTD

```
327 FILE MEDLINE
L5
           457 FILE BIOSIS
L6
           490 FILE CABA
L7
           239 FILE AGRICOLA
\Gamma8
L9
           877 FILE CAPLUS
L10
           402 FILE EMBASE
            36 FILE JICST-EPLUS
L11
            75 FILE WPIDS
L12
TOTAL FOR ALL FILES
          2903 (ANIMAL FEED OR FEED?) AND (L1 OR L2 OR L3 OR HIGH LAURIC ACID
               (W) (OIL OR RAPESEED OIL) OR COCONUT OIL OR PALM KERNEL OIL)
=> s 113 and composi?
           110 FILE MEDLINE
L15
           184 FILE BIOSIS
L16
           190 FILE CABA
L17
           95 FILE AGRICOLA
L18
           396 FILE CAPLUS
           157 FILE EMBASE
L19
L20
            12 FILE JICST-EPLUS
L21
            38 FILE WPIDS
TOTAL FOR ALL FILES
          1182 L13 AND COMPOSI?
=> s (anti bacterial or antibacterial) and 122
             O FILE MEDLINE
             O FILE BIOSIS
L25
             O FILE CABA
L26
             O FILE AGRICOLA
L27
             O FILE CAPLUS
L28
             O FILE EMBASE
L29
             O FILE JICST-EPLUS
L30
             3 FILE WPIDS
TOTAL FOR ALL FILES
             3 (ANTI BACTERIAL OR ANTIBACTERIAL) AND L22
=> d 1-3
L31 ANSWER 1 OF 3 WPIDS COPYRIGHT 2001
                                           DERWENT INFORMATION LTD
     2001-424088 [45]
                        WPIDS
CR
     1999-570772 [48]; 2000-375596 [32]
DNC C2001-128287
TI
     Nutritional composition comprises bactericidal amounts of
     diacetyltartaric acid esters of mono/di-glycerides and is useful for
     inhibiting bacterial infections.
DC
     B05 D13
IN
     ANDERSON, S N; GUZMAN-HARTY, M; HILTY, M D; LIU, J; MAZER, T B; REAVES, L
     A; SCHALLER, J; WAI LEE, T S
PA
     (ABBO) ABBOTT LAB
CYC
                                                q8
PΙ
     US 6228886
                   B1 20010508 (200145)*
                                                      A61K031-225
ADT
     US 6228886 B1 Cont of US 1996-690737 19960731, Cont of US 1999-306608
     19990416, US 2000-577423 20000522
FDT
     US 6228886 B1 Cont of US 5958974, Cont of US 6066669
PRAI US 1996-690737
                     19960731; US 1999-306608 19990416; US 2000-577423
     20000522
IC
     ICM A61K031-225
```

```
L31 ANSWER 2 OF 3 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
     2000-126583 [11]
                        WPIDS
ΑN
DNC
    C2000-038554
    Use of natural oils with a high lauric acid content in animal
ΤI
     feed, reduces the need for antibiotics in production animals.
DC
     B05 C03 D13
ΙN
     TETER, B B
     (UYMA-N) UNIV MARYLAND BALTIMORE
PΑ
CYC
    85
                   A1 19991229 (200011)* EN
                                              17p
                                                     A23K001-17
PΤ
    WO 9966804
        RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL
            OA PT SD SE SL SZ UG ZW
        W: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD
            GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV
            MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT
            UA UG US UZ VN YU ZW
                   A 20000110 (200025)
                                                     A23K001-17
     AU 9946993
                                                     A23K001-17
     EP 1089635
                   A1 20010411 (200121) EN
         R: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
    WO 9966804 A1 WO 1999-US13894 19990622; AU 9946993 A AU 1999-46993
ADT
     19990622; EP 1089635 A1 EP 1999-930456 19990622, WO 1999-US13894 19990622
    AU 9946993 A Based on WO 9966804; EP 1089635 A1 Based on WO 9966804
FDT
PRAI US 1998-90303P
                      19980623
IC
     ICM A23K001-17
     ICS A23K001-18
    ANSWER 3 OF 3 WPIDS COPYRIGHT 2001
                                           DERWENT INFORMATION LTD
L31
ΑN
     1998-159124 [14]
                        WPIDS
DNC
    C1998-051278
     Nutritional composition used for inhibiting infection by
ΤI
     pathogenic microorganism - comprise di acetyl-tartaric acid ester(s) of
     mono- and di-qlyceride(s) and edible macro-nutrients.
DC
     B05 D13
ΙN
     ANDERSON, S N; BOWMAN, T M; GUZMAN-HARTY, M; HILTY, M D; LAMM, J M; LEE, T
     S W; LIU, J; MAZER, T B; SCHALLER, J; LEE, T S
PA
     (ABBO) ABBOTT LAB
CYC
    22
                   A1 19980205 (199814)* EN
                                              34p
PT
     WO 9804157
                                                     A23L001-30
        RW: AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE
        W: CA JP MX
     US 5866606
                   A 19990202 (199912)
                                                     A61K031-20
                   A1 19990609 (199927) EN
     EP 920262
                                                     A23L001-30
         R: AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL PT SE
     MX 9810749
                   A1 19990401 (200055)
                                                     A23L001-30
     JP 2000515892 W 20001128 (200065)
                                              36p
                                                     A61K031-22
ADT
    WO 9804157 A1 WO 1997-US12960 19970723; US 5866606 A Cont of US
     1996-690736 19960731, US 1997-887452 19970702; EP 920262 A1 EP 1997-934281
     19970723, WO 1997-US12960 19970723; MX 9810749 A1 MX 1998-10749 19981215;
     JP 2000515892 W WO 1997-US12960 19970723, JP 1998-508964 19970723
FDT
    EP 920262 A1 Based on WO 9804157; JP 2000515892 W Based on WO 9804157
PRAI US 1996-690736
                     19960731; US 1997-887452
                                                 19970702
IC
     ICM A23L001-30; A61K031-20; A61K031-22
     ICS A61K031-23; A61P031-12; A61P031-16; A61P031-18; A61P031-22
=> s (anti bacterial or antibacterial) and 113
L32
             O FILE MEDLINE
L33
             0 FILE BIOSIS
L34
             0 FILE CABA
L35
             0 FILE AGRICOLA
L36
             1 FILE CAPLUS
```

```
O FILE EMBASE
L37
L38
             O FILE JICST-EPLUS
L39
             3 FILE WPIDS
TOTAL FOR ALL FILES
             4 (ANTI BACTERIAL OR ANTIBACTERIAL) AND L13
=> s 140 not 131
             O FILE MEDLINE
L41
             O FILE BIOSIS
L42
             O FILE CABA
L43
L44
             O FILE AGRICOLA
L45
             1 FILE CAPLUS
             O FILE EMBASE
L46
             O FILE JICST-EPLUS
L47
             O FILE WPIDS
T.48
TOTAL FOR ALL FILES
L49
             1 L40 NOT L31
=> d cbib abs
L49 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2001 ACS
1999:819194 Document No. 132:35055 Use of oils having a high lauric acid
     content in feed. Teter, Beverly B. (University of Maryland,
     USA). PCT Int. Appl. WO 9966804 A1 19991229, 19 pp. DESIGNATED STATES:
     W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK,
     EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID; IL, IN, IS, JP, KE, KG, KP,
     KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL,
     PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN,
     YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG,
     CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR,
     NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2. APPLICATION: WO
     1999-US13894 19990622. PRIORITY: US 1998-90303 19980623.
AΒ
     Antibiotic use in livestock is reduced by the use of an antimicrobial
     fatty acid component in feed or as a feed supplement.
     The use of natural oils that are high in lauric acid are particularly
                Thus, broiler chickens are fed a diet in which part of the fat
     is replaced with coconut oil, so that lauric acid
     comprises about 3% by wt. of the diet.
=> s teter, b?/au,in or teter b?/au,in
'IN' IS NOT A VALID FIELD CODE
L50
            27 FILE MEDLINE
L51
            66 FILE BIOSIS
L52
            19 FILE CABA
'IN' IS NOT A VALID FIELD CODE
L53
          · 11 FILE AGRICOLA
L54
            30 FILE CAPLUS
'IN' IS NOT A VALID FIELD CODE
L55
            18 FILE EMBASE
L56
             O FILE JICST-EPLUS
L57
             4 FILE WPIDS
TOTAL FOR ALL FILES
L58
           175 TETER, B?/AU, IN OR TETER B?/AU, IN
=> s 113 and 158
L59
             O FILE MEDLINE
L60
             O FILE BIOSIS
L61
             O FILE CABA
```